

Support Vector Machines and Their Application in Mechanical Fault Diagnosis

Mengjie Jiang

China University of Petroleum-Beijing at Karamay Campus, No. 355, Anding Road,
Karamay District, Karamay City, Xinjiang, China

31104643635@qq.com

Abstract. The advent of Support Vector Machines (SVM), deeply rooted in the principles of statistical learning theory, represents a pivotal milestone in the progression of machine learning methodologies. In the intervening years, the application of SVM has permeated a multitude of disciplines, garnering widespread academic interest and provoking extensive scholarly discourse on an international scale. Despite its broad utility, the deployment of SVM within the specialized area of mechanical fault diagnosis has been relatively uncharted, with a dearth of research dedicated to the amalgamation of SVM with existing condition monitoring and diagnostic protocols. This treatise seeks to demystify the core tenets and unique characteristics of SVM, offering a critical appraisal of its merits and demerits when juxtaposed with traditional diagnostic approaches. Additionally, this review provides an exhaustive synthesis of the extant literature, casting a spotlight on the latest forays into the integration of SVM for mechanical condition surveillance and fault detection, both within domestic and international spheres. Against this backdrop, the discourse delves into the intrinsic challenges inherent to SVM research and posits prospective avenues for the evolution and application of SVM within the precincts of mechanical fault diagnosis.

Keywords: Support Vector Machines, Diagnostics of Mechanical Faults, Theoretical Frameworks of Statistical Learning.

1. Introduction

With the evolution of modern mechanical systems towards heightened precision and sophistication, the intricacy of their operational contexts has correspondingly expanded. Equipment malfunctions, once isolated to single components, now pose a broader risk of severe damage and, in the most dire instances, precipitate catastrophic events with the potential for personal injury or fatalities. A plethora of calamitous incidents, both domestically and globally, have been linked to mechanical failures, exemplified by the fatal machinery accident on "February 4th" at Tesla's (Shanghai) facility, the engine explosion aboard a United Airlines Boeing 777, and the tragic LOT Polish Airlines Flight 5055 crash. Consequently, the accurate and expedient detection of incipient faults and their evolution during operation is imperative for the integrity and safety of mechanical systems, and for the preemption of major accidents.

In the realm of mechanical fault diagnosis, intelligent diagnostic methodologies, such as artificial neural networks, are frequently constrained by their dependence on extensive repositories of typical

fault data or pre-existing knowledge, alongside the intrinsic challenges of feature extraction from fault-related data. To transcend these limitations, the Statistical Learning Theory (SLT) introduces a pioneering theoretical construct, adeptly tailored to learning paradigms characterized by limited data samples. Within this theoretical architecture, Support Vector Machines (SVM) have materialized as a pioneering and resilient universal learning algorithm, showcasing pronounced superiority in contexts of small-sample learning. The SVM has garnered acclaim for its successful applications across a spectrum of domains, including but not limited to pattern recognition, regression analysis, and function approximation.

This paper aims to encapsulate the extant applications of SVM within the discipline of mechanical fault diagnosis. It commences with an exposition of the foundational tenets of SVM and proceeds to delineate the current research trajectory in the field of mechanical fault diagnosis. Subsequently, the paper scrutinizes the strengths and weaknesses of SVM, culminating in an exploration of its potential applications and prospective research avenues in the sphere of mechanical fault detection.

2. Principles of Support Vector Machines

Support Vector Machines (SVM) are an avant-garde machine learning technique predicated on the precepts of Statistical Learning Theory. The fundamental premise of SVM involves the transformation of the original dataset through a nonlinear mapping into an elevated-dimensional space, within which an optimal hyperplane is delineated for the categorization of input samples. SVM excels in managing scenarios with limited sample sizes, resolving nonlinear issues, circumventing local minima dilemmas, and surmounting the dimensionality curse. Moreover, SVM is underpinned by a robust theoretical framework, characterized by a succinct and elegant mathematical formulation, and further enhanced by its intuitive geometric interpretation.[1]

2.1. Linear Support Vector Machines

The discourse commences with an examination of the linear separability scenario within training sample sets. As depicted in Figure 1, the solid and hollow circles symbolize two classes of sample points. [2]The objective is to discern a classification hyperplane, denoted as H , within the sample space that efficaciously demarcates the two classes of samples.

$$w^T x + b = 0 \quad (1)$$

Accurately separating two classes of samples requires:

$$\begin{aligned} w^T x_i + b &\geq 0, y_i = +1 \\ w^T x_i + b &\leq 0, y_i = -1 \end{aligned} \quad (2)$$




Figure 1. Principle of Linear Classification in SVM.

In the schematic illustration of Figure 1, H_1 and H_2 denote the proximal parallel lines to the discriminative hyperplane that are in closest approximation to the respective classes of exemplars.

Within this framework, the hyperplane H is adept at effecting a clear demarcation between the two classes of samples, concurrently ensuring the preservation of an optimal margin, denoted by the variable d , which is calibrated to be twice the reciprocal of the norm of the weight vector, expressed as $2/\|w\|$.

To ensure the hyperplane's invariance when subjected to scalar multiplication of the weight vector w and the bias term b by any non-zero scalar, it is imperative to enforce the normalization constraint. This imperative necessitates the fulfillment of the following condition: the magnitude of the weight vector $\|w\|$ be rendered equivalent to 1, thereby establishing a standardized framework for the hyperplane's orientation and position within the feature space. This normalization process is quintessential for the generalization of the SVM model, ensuring its robustness and reliability across varied datasets.

$$\min_{i=1,2,\dots,n} |w^T x_i + b| = 1 \quad (3)$$

Within the purview of statistical learning theory, the paradigm of an optimal classification hyperplane (H) arises when an ensemble of training samples is perfectly divisible by a linear construct. This hyperplane is distinguished by its capacity to maximize the shortest distance—between itself and the nearest exemplars from the respective classes, thereby ensconcing the hyperplane in an optimal configuration for classification purposes. The demarcation of this hyperplane's periphery is orchestrated by a pair of parallel planes that are tangential to the closest points of the two sample classes, effectively encapsulating the margin that the optimal hyperplane (H) seeks to maximize. This construct, underpinned by the principle of margin optimization, is pivotal in enhancing the generalizability of the model, thus endowing it with an enhanced ability to discern between classes in unseen data.

$$H_1: w^T x_i + b \geq 1, y_i = +1 \quad (4)$$

$$H_2: w^T x_i + b \leq -1, y_i = -1 \quad (5)$$

The distance between the two boundaries is referred to as the margin. From this, the decision function can be derived:

$$f(x) = \text{sym}(w^T x + b) \quad (6)$$

The SVM learning process can be viewed as a constrained quadratic programming problem, where there are many separating hyperplanes but only one optimal hyperplane. This constrained quadratic programming problem with linear constraints is solved using the Lagrange multiplier method:

$$\begin{aligned} & \min \frac{1}{2} \|w\|^2 \\ & \text{s. t. } y_i (w^T x_i + b) \geq 1, \\ & i = 1, 2, \dots, n. \end{aligned} \quad (7)$$

Taking partial derivatives w and b with respect to the parameters and setting them to zero gives:

$$\begin{cases} \frac{\partial}{\partial w} L(w, b, \alpha) = 0 \\ \frac{\partial}{\partial b} L(w, b, \alpha) = 0 \end{cases} \quad (8)$$

it obtains:

$$\begin{cases} w = \sum_{i=1}^n \alpha_i y_i x_i \\ \sum_{i=1}^n y_i \alpha_i = 0 \end{cases} \quad (9)$$

Maximizing the margin effectively enhances the generalization ability, aligning with the core concept of support vector machines, which is to minimize structural risk. According to Wolfe's dual theory, the classification problem can be transformed into its dual form, yielding:

$$\begin{cases} \min_{\alpha} & \frac{1}{2} \sum_{i,j=1}^n \alpha_i \alpha_j y_i y_j (x_i \cdot x_j) - \sum_{i=1}^n \alpha_i \\ \text{s.t.} & \sum_{i=1}^n y_i \alpha_i = 0 \\ & \alpha_i \geq 0, i = 1, 2, \dots, n \end{cases} \quad (10)$$

where α_i is the Lagrange multiplier corresponding to the i th sample. This quadratic programming problem with inequality constraints has a unique solution, allowing the parameters to be determined as:

$$b = \frac{1}{N_{NSV}} \sum_{x_i \in JN} \left(y_i - \sum_{x_j \in J} \alpha_j y_j (x_i \cdot x) \right) \quad (11)$$

Finally, the optimal classification function is derived as:

$$f(x) = \text{sgn}\{(w \cdot x) + b\} = \text{sgn}\left\{\sum_{i=1}^n \alpha_i y_i (x_i \cdot x) + b\right\} \quad (12)$$

2.2. Nonlinear Support Vector Machines

When the sample points are nonlinearly separable in low dimensions, we need to transform them into a higher-dimensional space where they become linearly separable. This is achieved by using a kernel function to map all the sample points into a higher-dimensional space.[3]

In the schematic illustration of Figure 2, According to the Hilbert-Schmidt theorem, when the kernel function satisfies the Mercer condition, for any function $g(x)$, when $\int_a^b g^2(x)dx$ is finite, $K(x_i, y_i)$ corresponds to the inner product $(\Phi(x_i) \cdot \Phi(x_j))$ in some space. The optimization problem then transforms to:

$$\min_{\alpha} \frac{1}{2} \sum_{i,j=1}^n \alpha_i \alpha_j y_i y_j K(x_i, y_i) - \sum_{i=1}^n \alpha_i \quad (13)$$

The classification decision function is:




Figure 2. Kernel function mapping schematic.

$$f(x) = \text{sgn}\left\{\sum_{i=1}^n \alpha_i y_i K(x_i, x) + b\right\} \quad (14)$$

Different inner product kernel functions lead to different SVM algorithms. The three commonly used kernel functions are:

Polynomial Kernel Function

$$K(x_i, x_j) = (1 + x_i^T x_j)^d \quad (15)$$

Gaussian Radial Basis Kernel Function

$$K(x_i, x_j) = \exp(-R\|x_i - x_j\|^2) \quad (16)$$

(3) Sigmoid and Kernel Function

$$K(x_i, x_j) = \tanh(kx_i^T x_j - \delta) \quad (17)$$

where $d > 0, R > 0, k > 0, \delta > 0$ are referred to as kernel parameters.[4-6]

3. Application Status

3.1. Rotating Machinery Fault Diagnosis

In the specialized realm of rotating machinery fault diagnosis, Support Vector Machines (SVM) are leveraged to distill vibrational signatures, which are subsequently projected into a higher-dimensional space to refine the discriminative hyperplane. The SVM model undergoes training to execute the classification and diagnosis of faults, ascertaining the presence and categorization of anomalies within rotating machinery. The process often incorporates parameter optimization to augment the precision of diagnostic outcomes. Owing to its intrinsic merits, SVM has secured its status as a ubiquitous analytical instrument in the diagnostics of rotating machinery. Figure 3 shows the basic flow of rotating machinery troubleshooting in industry today.




Figure 3. Rotating Machinery Troubleshooting Flowchart.

Hao et al. introduced an innovative fault diagnosis methodology for rotating machinery that employs Laplacian Support Vector Machines (Lap-SVM) to confront the intricacies associated with the labeling of extensive sample cohorts [7]. This technique integrates the inherent manifold structure information of unlabeled samples into the classifier's architecture, thereby ensuring the preservation of the classifier's smoothness and the maintenance of the data's manifold integrity. This strategy adeptly harnesses the information contained within unlabeled samples to bolster the classifier's performance.

Xue et al. devised a fault diagnosis technique that amalgamates Deep Convolutional Neural Networks (DCNN) with SVM to surmount scenarios where the vibrational feature set of rotating machinery exhibits inadequate sensitivity [8]. Utilizing a rotor test rig, the fusion of artificial intelligence with expert human knowledge was demonstrated through experiments, which yielded a marked enhancement in diagnostic precision. Notably, the methodology achieved an average accuracy of 98.71% in diagnosing N205 bearing and rotor composite faults, thereby substantiating the efficacy of the proposed technique.

Dias et al. proffered a pioneering approach for fault detection in rotating machinery within the sphere of motion control [9]. This method undertakes the analysis of control communication data via the PROFINET network and the PROFI-drive profile, thereby obviating the necessity for supplementary sensors. The SVM is deployed as a canonical classifier to discern five distinct types of mechanical faults with high efficiency. Empirical findings revealed that the fault detection efficacy was sustained at a lofty 97.78% even under non-ideal conditions, thereby highlighting the approach's viability and efficacy across diverse operational contexts.

3.2. Bearing Fault Diagnosis

In the analogous vein to its deployment in the realm of rotating machinery, Support Vector Machines (SVM) are conscripted in the diagnosis of bearing faults, tasked with the extraction of salient features from vibrational signals. The SVM is subjected to a rigorous training regimen designed to discern among a plethora of fault signatures, with meticulous parameter optimization applied to bolster the fidelity of classification. This meticulous process culminates in the robust identification of faults within novel datasets.

Wang et al. introduced an intelligent fault diagnosis methodology tailored for rolling bearings, synthesizing the Generalized Composite Multiscale Weighted Permutation Entropy (GCMWPE), Supervised IsoMap (S-Iso), and Marine Predators Algorithm-SVM (MPA-SVM) [10]. This composite approach distills multidimensional features from the bearings, amassing a comprehensive high-dimensional feature set. This assembly transcends the inherent limitations of the conventional multiscale weighted permutation entropy framework, yielding more stable entropy metrics. The S-Iso algorithm is then engaged to refine the feature set, extracting pivotal characteristics and effecting a reduction in dimensionality. The amalgamated GCMWPE and S-Iso features are subsequently channeled into the MPA-SVM, with the SVM's parameters finely tuned via the Marine Predators Algorithm (MPA). The empirical evidence garnered from this study attests to the method's exceptional diagnostic precision in the context of bearing faults.

Mathur et al. navigated the domain of data-driven bearing fault diagnosis through the lens of feature ranking [11]. By extracting statistical features from the time-domain of vibrational data, which was procured under a quintet of distinct bearing defect conditions—encompassing normal operation and various states of defect in the outer ring, ball, inner ring, and combined inner and ball defects—they juxtaposed the efficacies of feature selection algorithms. These algorithms were applied in concert with Artificial Neural Networks (ANN) and SVM for predictive analytics. Their investigative findings illuminated that the Neighbourhood Component Analysis algorithm procured the most elevated accuracy rates for bearing fault detection, when in conjunction with both SVM and ANN. This underscores the algorithm's capacity to facilitate a diagnosis that is both efficacious and dependable.

3.3. Gear Fault Diagnosis

In the specialized domain of gear fault diagnosis, Support Vector Machines (SVM) serve as a meticulous analytical tool for the scrutiny of vibration signals, adeptly extracting pivotal features that are indicative of the operational integrity of gears. Sophisticated feature selection methodologies, such as the Laplacian Score (LS), are harnessed to pinpoint the most salient features. These features are subsequently instrumental in the training regimen of the SVM model. To augment the diagnostic acumen further, optimization algorithms, including the Grey Wolf Optimization (GWO) algorithm, are engaged to meticulously adjust the SVM parameters. This ensures the model's robust performance, even when confronted with intricate datasets. The refined SVM model thus stands capable of accurately categorizing novel vibration signal data, offering efficacious and precise diagnostic insights for gear faults.

Zhang et al. proffered a fault diagnosis approach grounded in Frequency Modulated Empirical Mode Decomposition (FM-EMD) and SVM, meticulously crafted for the extraction of gear signals amidst multi-modal mixtures [12]. This technique processes the nascent vibration signals to yield Intrinsic Mode Functions (IMFs), effectively surmounting the constraints of traditional methodologies in inoperable regions and discerning components with proximal frequencies. The ensuing energy distribution is employed as a feature vector for the SVM, facilitating the identification of the gearbox's dynamic state and the classification of fault types. The outcomes substantiated the efficacy and precision of this diagnostic methodology.

Pan et al. introduced a hybrid method that integrates Wavelet Packet Independent Component Analysis with Kernel Function Fusion SVM for the purpose of gear fault diagnosis, with a focus on enhancing feature extraction and diagnostic precision [13]. This innovative technique exploits Wavelet Packet Independent Component Analysis to garner a comprehensive array of feature information, which is subsequently refined prior to its utilization in the Kernel Function Fusion SVM for diagnostic purposes. Comparative analyses have demonstrated that this method attains exceptionally high diagnostic accuracy, thereby accentuating its robustness and reliability in the context of gear fault diagnosis.

3.4. High-Voltage Circuit Breaker Fault Diagnosis

In the sophisticated discipline of high-voltage circuit breaker fault diagnosis, Support Vector Machines (SVM) assume a pivotal role, meticulously capturing nuanced variations in current, voltage, and mechanical vibration signals throughout the breaker's operational cycle. These signals are subjected to a meticulous analysis to distill key features, which are then meticulously preprocessed to enhance the model's capacity for generalization. The curated dataset is employed to train the SVM model, endowing it with the ability to discern between normal and anomalous operating conditions with precision. Throughout the training regimen, pivotal SVM parameters, including the penalty coefficient (C) and the kernel function hyperparameters, are fine-tuned to augment the model's efficacy, ensuring remarkable accuracy across a spectrum of scenarios. Post-training, the model's diagnostic fidelity and dependability are stringently evaluated using a distinct test set. Upon successful validation, the rigorously vetted SVM model is integrated into real-time monitoring systems, facilitating the prompt and accurate identification and categorization of faults within novel circuit breaker signals. This robust diagnostic apparatus substantially amplifies the maintenance and secure functioning of high-voltage circuit breakers.

Yang et al. introduced a methodology adept at surmounting the challenge of low mechanical diagnostic precision in high-voltage circuit breakers by employing Principal Component Analysis (PCA) in conjunction with the Whale Optimization Algorithm (WOA) to refine the SVM's parameters [14]. Vibration signals harvested from the breakers are refined through Hilbert-Huang Transformation to extract an apt envelope spectrum, succeeded by the computation of the spectrum's entropy. PCA is then engaged to ascertain the contribution rate of the feature values, selecting those exceeding a cumulative contribution rate of 90% to form the final feature vector. The WOA-optimized SVM, through exhaustive parameter and feature optimization, has demonstrated superior performance over conventional techniques in both optimization efficiency and accuracy.

Miao et al. proposed an avant-garde approach for the condition assessment of high-voltage circuit breakers within the context of smart grids, capitalizing on wavelet packet decomposition to extract characteristic values from the dynamic contact signals of the circuit breakers [15]. These characteristic values are further honed through fuzzy clustering prior to their introduction into the SVM for diagnostic purposes. Empirical results have substantiated that leveraging SVM for the fault diagnosis of high-voltage circuit breaker systems is not only viable but also yields highly satisfactory diagnostic outcomes.

4. Future Prospects

4.1. Advantages

Support Vector Machine (SVM), a paradigm that materialized in the early 1990s and is deeply rooted in the precepts of statistical learning theory, has demonstrated an extraordinary propensity for generalization, particularly when it comes to the resolution of decision-making problems in the context of small sample sizes. This algorithm deftly navigates the high-dimensional challenges and the quandaries of local extrema that are frequently encountered within the purview of neural network methodologies. The intrinsic simplicity of SVM confers a significant advantage in engineering applications, establishing it as a formidable instrument for the tangible implementation of statistical learning theory.

It is noteworthy that the ultimate decision function of SVM is sculpted by a select group of data points, referred to as support vectors. This nuance implies that the computational complexity of SVM is primarily dictated by the count of these support vectors, rather than the dimensionality of the underlying sample space. This attribute partially circumvents the so-called "curse of dimensionality," endowing the model with a robust generalization performance. Consequently, SVM is less prone to overfitting and is adept at rendering commendable performance even when the dataset at its disposal is modest in size. [16]

4.2. Disadvantages

Extended Training Duration: In the realm of large-scale data analytics, the application of Support Vector Machines (SVM) entails a meticulous computation of the interrelationships between each feature point and the discriminative hyperplane. [17] This exhaustive process engenders an elongated training timeline. Throughout the model's training phase, SVM demands iterative parameter updates, alongside the re-evaluation of derivatives, integrals, and matrix inversions, which exact a considerable toll on computational time and memory resources. While SVM shines in scenarios with limited data, its operational efficiency is attenuated when confronted with the vast expanse of large datasets.

Kernel Function Determination: The selection of an appropriate kernel function within SVM is a critical juncture, exerting a profound influence on the model's proficiency in tackling nonlinear complexities. [18] SVM employs kernel functions to project data into a higher-dimensional space, in pursuit of a hyperplane that affords linear separability. However, the quest for the optimal kernel function is fraught with challenges, including the assessment of data linear separability, the multitude of kernel options, and the fine-tuning of associated hyperparameters. For instance, the Gaussian kernel, despite its efficacy in various nonlinear applications, requires precise calibration of its parameter γ and incurs significant computational overhead. Particularly with large-scale datasets, the absence of pre-existing knowledge about the data's distribution renders the kernel's construction, which accurately mirrors the data's attributes, exceedingly intricate. The kernel function's choice also bears on the model's capacity for generalization. Cross-validation, while an essential tool for kernel function assessment, is an arduous and computationally exhaustive endeavor, often falling short in terms of efficiency.

Complexities in Multi-Class Classification: Initially designed for binary classification, SVM lacks intrinsic mechanisms for multi-class categorization, potentially rendering it ill-suited for the multifaceted nature of real-world multi-class problems. The core tenet of SVM—to identify the optimal hyperplane for class separation—faces complications in multi-class contexts, necessitating extensions such as one-vs-one, one-vs-all, or Error-Correcting Output Codes (ECOC). These adaptations not only amplify the model's architectural intricacy but also escalate computational demands and protract the training duration. [19] The interplay among classes in multi-class scenarios may precipitate a decline in performance, further complicating the parameter selection process. Moreover, the specter of class imbalance can erode the model's generalization prowess, introducing superfluous complexities when SVM is tasked with multi-class classification challenges.

4.3. Future Development Trends

4.3.1. Integration of Multi-Modal Data. Mechanical systems are known to produce a plethora of data types, encompassing vibration signals, acoustic emissions, temperature gradients, and pressure metrics. Within the tapestry of such multi-modal datasets, Support Vector Machines (SVM) can significantly amplify the precision of fault detection by amalgamating information across disparate sources. It is advocated that researchers delve into the exploration of diverse data fusion strategies—encompassing early, late, or hybrid fusion techniques—and scrutinize methodologies for the optimization of SVM parameters to adeptly manage the complexity of multi-modal inputs.

4.3.2. Synergy of Cloud and Edge Computing. Cloud computing provides an expansive reservoir of computational resources, while edge computing ensures the expeditious processing of data with minimal latency. The convergence of these two computational models can markedly enhance the training and inferencing mechanisms of SVM models. Edge devices, positioned to manage real-time data with alacrity, can relay pivotal information to the cloud, where the models are honed and refined, thus elevating the overall efficacy of the system. [20]

4.3.3. Utilization of Open-Source Software and Frameworks. The embrace of open-source software and platforms is poised to expedite the evolution and practical application of SVM algorithms. By presenting

intuitive interfaces, exhaustive documentation, and robust community backing, these resources democratize access to SVM, spurring broader investigation and innovation among the academic and engineering communities engaged in the detection of mechanical faults.

4.3.4. Automation of Feature Engineering Processes. Feature engineering stands as a linchpin in the enhancement of SVM performance. Automated feature engineering methodologies have the potential to eclipse the labor-intensive manual feature selection process by independently discerning the most salient features. The innovation of avant-garde algorithms or the enhancement of extant techniques, with a focal aim on the autonomous selection, extraction, and construction of optimal feature subsets, can substantially elevate the proficiency and fidelity of SVM in the realm of fault detection.

4.3.5. Real-Time Surveillance and Diagnostics. The capacity for real-time monitoring is central to the efficacious detection of mechanical faults. With the swift progression of Internet of Things (IoT) technologies, SVM can be integrated seamlessly into embedded systems and intelligent sensors, facilitating persistent monitoring and prompt diagnostics of mechanical health. This integration demands SVM models that are not only unerringly accurate but also sufficiently streamlined to operate within the confines of resource-limited edge computing ecosystems.

5. Conclusion

This treatise offers an expansive survey of the mathematical underpinnings and evolutionary saga of Support Vector Machines (SVM), juxtaposed with an assessment of its forays into the realm of mechanical fault detection. Through a meticulous examination of seminal studies, this paper accentuates the variegated contributions that SVM can proffer within this sphere, with a particular emphasis on its merits pertaining to detection efficacy and versatility. Despite these strengths, a number of formidable challenges persist.

The tangible application of SVM in the diagnosis of mechanical faults necessitates a deeper inquiry into the optimal selection of kernel functions, the enhancement of real-time classification prowess, and the innovation of efficacious multi-class classification algorithms. In summation, the objective of this paper is to galvanize the academic community and to spur readership towards propelling the research frontier by venturing into pioneering avenues within the dynamic expanse of SVM technology.

References

- [1] Tuerxun W, Chang X, Hongyu G, et al. Fault diagnosis of wind turbines based on a support vector machine optimized by the sparrow search algorithm[J]. *Ieee Access*, 2021, 9: 69307-69315.
- [2] Faccini D, Maggioni F, Potra F A. Robust and distributionally robust optimization models for linear support vector machine[J]. *Computers & Operations Research*, 2022, 147: 105930.
- [3] Piccialli V, Sciandrone M. Nonlinear optimization and support vector machines[J]. *Annals of Operations Research*, 2022, 314(1): 15-47.
- [4] Tinghua Wang, Xiaolu Dai, Yuze Liu, Learning with Hilbert–Schmidt independence criterion: A review and new perspectives, *Knowledge-Based Systems*, Volume 234, 2021, 107567,
- [5] Gaye, Babacar, Dezheng Zhang, and Aziguli Wulamu. "Improvement of support vector machine algorithm in big data background." *Mathematical Problems in Engineering* 2021.1 (2021): 5594899.
- [6] Valkenborg, Dirk, et al. "Support vector machines." *American Journal of Orthodontics and Dentofacial Orthopedics* 164.5 (2023): 754-757.
- [7] Hao Tengfei, Chen Guo. Laplace support vector machine diagnosis of rotating machinery faults [J]. *China Mechanical Engineering*, 2016, 27(01): 73-78.
- [8] Xue Y, Dou D, Yang J. Multi-fault diagnosis of rotating machinery based on deep convolution neural network and support vector machine[J]. *Measurement*, 2020, 156: 107571.

- [9] Luis A D ,Celso A T ,Serpa G S , et al. A New Method for Fault Detection of Rotating Machines in Motion Control Applications Using PROFI drive Information and Support Vector Machine Classifier[J].Journal of Dynamic Systems, Measurement, and Control,2021,143(4):
- [10] Wang, Zhenya, Ligang Yao, and Yongwu Cai. "Rolling bearing fault diagnosis using generalized refined composite multiscale sample entropy and optimized support vector machine." Measurement 156 (2020): 107574.
- [11] Amit M, Pradeep K, SP H. Ranked feature-based data-driven bearing fault diagnosis using support vector machine and artificial neural network[J]. Proceedings of the Institution of Mechanical Engineers, Part I: Journal of Systems and Control Engineering,2023,237(9):1602-1619.
- [12] Zhang Chao, et al. "A gearbox fault diagnosis method based on frequency-modulated empirical mode decomposition and support vector machine." Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science 232.2 (2018): 369-380.
- [13] Pan, Lizheng, et al. "Gear fault diagnosis method based on wavelet-packet independent component analysis and support vector machine with kernel function fusion." Advances in Mechanical Engineering 10.11 (2018): 1687814018811036.
- [14] Yang, Liyuan, et al. "Fault diagnosis of WOA-SVM high voltage circuit breaker based on PCA Principal Component Analysis." Energy Reports 9 (2023): 628-634.
- [15] Miao, Di. "Research on fault diagnosis of high-voltage circuit breaker based on support vector machine." International Journal of Pattern Recognition and Artificial Intelligence 33.06 (2019): 1959019.
- [16] Pisner, Derek A., and David M. Schnyer. "Support vector machine." Machine learning. Academic Press, 2020. 101-121.
- [17] Cervantes, Jair, et al. "A comprehensive survey on support vector machine classification: Applications, challenges and trends." Neurocomputing 408 (2020): 189-215.
- [18] Roy, Atin, and Subrata Chakraborty. "Support vector machine in structural reliability analysis: A review." Reliability Engineering & System Safety 233 (2023): 109126.
- [19] Jun, Zhao. "The development and application of support vector machine." Journal of Physics: Conference Series. Vol. 1748. No. 5. IOP Publishing, 2021.
- [20] Chen M, Guo S, **ng Z, et al. Diagnosis of a rotor imbalance in a wind turbine based on support vector machine[J]. AIP Advances, 2024, 14(4).