

Coupling Mechanisms Between Biosphere and Atmosphere Affecting Sea Level Rise

Qiang Wan^{1,a,*}

*¹Nanjing-Helsinki Institute in Atmospheric and Earth System Sciences, Nanjing University,
Nanjing, China*

a. 241380023@smail.nju.edu.cn

**corresponding author*

Abstract: Since the industrial revolution, human activities have significantly contributed to the Earth's pollution, in particular the continued emission of greenhouse gases (e.g., carbon dioxide and methane). These emissions are contributing to climate change, with accelerated melting of glaciers, increased acidification of the oceans, an increase in extreme weather events and, ultimately, rising sea levels. Climate change, however, is not just a change in temperature, but involves changes in a number of complex interacting systems within the Earth, of which the biosphere is an important part. The biosphere acts as a buffer against changes in the atmosphere through the carbon cycle, water cycle and energy exchange. Therefore, the main objective of this study is to reveal how the coupling between the biosphere and the atmosphere affects the process of sea level rise, and to explore the coupling mechanism between the two in the carbon cycle and energy exchange, as well as their driving roles in sea level change.

Keywords: Biosphere-atmosphere interaction, Carbon cycling, Sea level rise

1. Introduction

Through the Industrial Revolution period onwards, human activities have exponentially contributed to the pollution of Earth and, above all, to the continuous spread of greenhouse gases (like carbon dioxide and methane). These emissions have resulted in serious changes in the world's climate – glaciers melting at a speed faster than ever, oceans increasing acidity, and bigger and more frequent extreme weather events all leading to rising sea levels. Moreover, these issues will become increasingly significant in the future. However, the climate changes taking place are not just about how temperatures are changing. Instead, these changes depict several levels of complex, mutually interacting systems that interact within the Earth. Perhaps a major one is the biosphere. Recent reviews explain that the relationship between the biosphere and the atmosphere affects important processes like the carbon cycle and water cycle [1]. For example, aquatic ecosystems are very vulnerable to climate change; small changes in temperature and oxygen levels can greatly affect their balance [2]. Nevertheless, the importance and the intricacy of the functioning of the biosphere are commonly disregarded. Instead of examining the direct relationship between the alterations in the physical and chemical characteristics of the atmospheric layer and the effect on the global climate, the biosphere, which acts as a buffer between the changes in the atmosphere, should be researched

instead. Such an in-depth analysis of the biosphere function will help illuminate the mechanisms and the causes of the atmosphere transformations.

This study proposes a main purpose: to illuminate how the coupling of the biosphere and the atmosphere governs the method of sea-level rise. In fact, this research will evaluate the interrelation between the carbon cycle and the biosphere and the atmosphere energy exchange system. In this case, the effects of these processes on sea-level rise will be discussed. In that sense, the research seeks to unravel the ways biosphere-atmosphere interactions contribute to climate change not only due to their localized importance but also due to the bigger picture they depict. To do so, it is imperative to comprehend how dependent sea-level rise is on these compounded interactions and to find intervention strategies as early as possible.

The main objective of this study is to explore how the coupling between the biosphere and the atmosphere affects the process of sea level rise. Specifically, the study will analyze the coupling mechanisms between the biosphere and the atmosphere in carbon cycling and energy exchange and explore their roles in driving sea-level rise. On the other hand, this study will help to shed light on the relationships between the biosphere and the atmosphere in the context of global climate change. If these mechanisms of coupling are studied, it will finally lead to unravelling the whole picture regarding the natural drivers of climate change. Initially, it will enable scientists to learn more about interactions of the biosphere and the atmosphere, thus contributing to more adequate predictions on the amount of sea-level rise in the future. Additionally, it can serve as a theoretical basis that will help with the drafting of clear climate change strategies, such as in the areas of ecosystem protection and carbon emission control. Finally, as the provider of diverse ecosystems and therefore the stabilizer of the quite immediate environment, the biosphere will be seen as a highlighted variable in global climate dynamics and thus will contribute to efforts in the conservation of ecosystems and the natural management of resources.

Recent research is of utmost importance when it comes to why it is necessary to understand the long-term consequences of climate change. First, scientists would thereby gain knowledge of the biosphere-atmosphere interactions so that future prediction of sea-level rise would be more comprehensive. Second, it studies the factors that may be used as a basis for composing effective climate changes response methods and domestic ecosystems conservation and carbon emissions control. Additionally, looking into these interactions is not just an academic interest; it has important consequences for creating strategies to reduce climate risks and safeguard vulnerable ecosystems [3]. Among many things, this study will bring a lot of attention to the contribution of the biosphere to the harmony of Earth's ecosystems and show the significance of maintaining the delicate balance of these ecosystems, particularly for the conservation of some species.

2. Theoretical Basis of Biosphere-Atmosphere Coupling

Interactions between the biosphere and atmosphere are important for understanding climate change, especially sea level rise. Key processes like carbon and water cycles show how these systems are linked. The biosphere manages greenhouse gas levels through photosynthesis and respiration, affecting atmospheric temperatures and ocean conditions [4]. The atmosphere impacts the biosphere by influencing weather patterns, which affect how plants grow and the availability of moisture in the soil. Research by Jun-Young Park et al. 2020 highlights that these interactions can change ice mass balance and significantly contribute to rising sea levels, as shrinking ice sheets lead to ocean thermal expansion and alter regional water cycles [5]. Additionally, Mokhov and Smirnov 2020 stress the need for precise climate models to predict these dynamics, pointing to a complex relationship that requires continuous research and adaptive strategies given the changing climate (Roger A. Pielke et al.).

Carbon cycle, which regulates the biosphere-atmosphere coupling, is one of the main causes of the carbon transfer between the biosphere and atmosphere. The following contribution reflects the concentration in atmospheric CO₂:

$$\frac{dC_{atm}}{dt} = F_{emission} - F_{uptake} \quad (1)$$

The term C_{atm} in this case stands for the atmospheric CO₂ level, $F_{emission}$ consists of CO₂ emissions from natural and human sources (for example, respiration, forest fire, and fossil fuel combustion), while F_{uptake} refers to CO₂ uptake by the biosphere mostly due to photosynthesis. Upon the alteration of the biosphere, which includes deforestation and wetland degradation, the system's ability to absorb CO₂ is compromised, and the emissions are increased consequently (i.e. greenhouse gases accumulation in the atmosphere).

This accumulation has a direct impact on surface temperatures, which can be described by the planetary energy balance equation:

$$T_s = \left(\frac{(1-\alpha)S_0}{4\sigma} \right)^{\frac{1}{4}} \quad (2)$$

Where T_s is the surface temperature, α is the Earth's albedo, S_0 is the solar constant, and σ is the Stefan-Boltzmann constant. The changes in the biosphere, like the loss of forests or glaciers melting, lead to diminishing of the Earth's albedo, α . For instance, if forests are replaced by agricultural areas or urban areas, albedo will increase, which will cool the surface initially. In the long-term, although the CO₂ concentration will increase when carbon is not entrapped, the greenhouse effect will be enhanced, leading to warming.

The interaction of the biosphere and the atmosphere in the water cycle is also very close. The rate of evapotranspiration (ET), a key process for water to move from the universally biophysical sources to the atmosphere, can be expressed as follows:

$$ET = \frac{(R_n - G)\Delta}{\lambda(\Delta + \gamma)} \quad (3)$$

Where R_n is the net radiation, G is the soil heat flux, Δ is the slope of the vapor pressure curve, λ is the latent heat of vaporization, and γ is the psychrometric constant. Deforestation and other land-use changes can affect ET, thereby altering the local air humidity and precipitation patterns. The alterations will also trigger the alteration of the wide atmospheric circulation and weather system, which could actually cause the transformation of the regime of global precipitation.

Such simulations outline biosphere's modifications, like reduced carbon sinks (negative impact), increased emissions, and some new evaporation processes (positive effect) that eventually will control greenhouse gas concentrations, surface temperatures, and precipitation patterns and cause global warming.

3. Sea Level Rise

3.1. Driving Mechanisms of Sea Level Rise

Different natural processes work together to cause the rise in sea levels. One major factor is the melting of glaciers and ice sheets, which adds a lot of freshwater to the oceans, raising sea levels significantly. The ice sheets in Antarctica and Greenland are the main contributors to this melting, worsened by higher global temperatures that increase surface melting and ice loss. Moreover, the thermal expansion of seawater, caused by warmer ocean temperatures, further increases sea levels. As the oceans take in heat from the atmosphere, they expand, which raises sea levels [6]. Changes in

how water is stored on land, like the reduction of groundwater, also contribute, since less water on land can flow into the oceans, making the problem worse. This complex range of elements highlights the complicated reasons for sea level rise influenced by human-caused climate changes[7].

3.2. Influence of Climate Change on Sea Level Dynamics

The way climate change and sea level changes work together is a tough issue that needs understanding from different angles. As temperatures around the globe go up, the main factors that impact sea level are the warming of ocean waters and faster melting of glaciers and ice sheets, especially in the poles. For example, the Antarctic ice sheet could add between 0.2 m and 1.4 m to sea level rise by 2150, depending on various climate situations, showing there are big uncertainties about how ice mass loss happens [8]. Moreover, changes in ocean processes, caused by higher greenhouse gas levels, greatly affect sea level changes because more evaporation and different rainfall patterns alter where water is stored on land. Knowing these changes is important, as they affect how much coastlines are at risk of flooding and also influence eco-hydrological connections that are vital for the health of the environment [9].

4. Effects of Biosphere-Atmosphere Coupling on Sea Level Rise

The connection between the biosphere and the atmosphere plays a big role in sea level rise, mainly through carbon cycling and water movement. When greenhouse gas emissions increase CO₂ in the atmosphere, the biosphere struggles to store carbon, which worsens ocean acidification and thermal expansion. Both of these are important factors in rising sea levels [10]. Additionally, changes in vegetation, like deforestation and loss of wetlands, disrupt local water cycles, leading to more runoff and changes in sediment patterns that can affect coastal areas. These changes are linked to increased melting of glaciers in polar regions, which adds more water from melting ice and speeds up sea level rise. In short, it is crucial to understand how biospheric and atmospheric processes work together to predict future changes in sea levels and to develop effective climate adaptation plans. This combined approach will help us reduce the negative impacts of global climate change on coastal communities at risk.

The relationship between the carbon cycle and changes in sea level is important for understanding climate change effects. As carbon dioxide in the air goes up, mostly from human actions, the Earth's temperature rises, which makes ocean water expand and adds to sea level rise. At the same time, more CO₂ leads to faster breakdown of organic material in the oceans, raising levels of greenhouse gases that connect to changes in ocean and air movements. Also, the melting of ice sheets and glaciers, caused by warmer global temperatures, makes sea level rise go even faster, creating a cycle that worsens the main issues [11]. It is vital to understand these links, as they help in predicting future changes and in creating strong policies to lessen the effects of climate change on coastlines and human communities [12]. In the end, the carbon cycle is key to the factors that affect sea levels, highlighting the need for ongoing study of its functions and effects on future climate stability.

Land cover change significantly impacts ice melting, which leads to the increase in sea level. Deforestation and development of cities, for instance, change the natural albedo. The result is that more light is absorbed instead of being reflected, which, in turn, causes faster melting of ice in the polar areas. When covers of land change, like forests being cut down to make farmland, there are more areas that do not have soil covering them. This in turn leads to more heat in the area and faster melting of glaciers and ice sheets. For instance, research shows that the local water cycles are disturbed once plants are removed, thus the amount of evaporation increases and rainfall patterns change. With the comments, it can be seen that the ice movement in the adjacent areas can be disturbed, as well as the melting rates can be increased. Likewise, when the permafrost is disturbed,

it releases greenhouse gases, which is methane, that influences the atmosphere's temperature and produces a symmetry that aggravates the melting of the ice. Therefore, the changes in land cover not only act locally but also interact with large climatic changes, which in turn represent the complicated associations between changes in environments and sea levels in the context of global climate change.

5. Conclusion

The relations linked to the biosphere and atmosphere play an essential role in imaging how global climate change occurs, particularly for sea level rise and others. These biospheric-atmospheric relations, like the carapace and water cycles, are key players in determining surface temperatures and precipitation patterns, as the relation is much responsible for the global greenhouse effect. Such shifts bring about repercussions such as melting polar ice and heating large masses of water, which eventually make sea levels rise. Ongoing research has been embracing new strategies, such as models and data scrutiny, to illuminate the key players of the interaction in sea level change. Nevertheless, there remain hurdles, such as the lack of data and the inherent nature of variations from region to region in developing models. Future research should encompass integrating diverse data sources as well as rendering the models more understandable, with a purpose of getting specific plans about responding to and mitigating the threats from rising sea levels. The need for thoroughly understanding the complicated linkages between the biosphere and atmosphere in order to cope with the ecological and social consequences of climate change is stressed in the sense of urgency with this topic.

References

- [1] B. Sai Ram Pattnaik, p. 135-141; B. Sai Ram Pattnaik. "Impact of climate change on ecology and biodiversity of Africa- a review". *International Journal of Agricultural and Applied Sciences*, 2023, <https://doi.org/10.52804/ijaas2023.4218>.
- [2] Taylor Nicole Adkins. "Synthesis of Local Climate-Altering Criteria and the Potential Impacts of Climate Change on Organisms, Ecosystem Function, and Positive Feedback Loops in California's Channel Islands National Park". 2023, <https://escholarship.org/uc/item/97q8203m>.
- [3] Intergovernmental Panel on Climate Change (IPCC). "The Ocean and Cryosphere in a Changing Climate". 2022-04-30, http://books.google.com/books?id=g0rvzgEACAAJ&dq=Impact+of+biosphere-atmosphere+coupling+on+sea+level+rise+significance+in+global+climate+change+research&hl=&source=gbs_api.
- [4] Caitlin Condon, Saikat Ghosh, Bruce Napier, Glenn Hammond, Harish Gadey. "Geologic Disposal Safety Assessment (GDSA) Biosphere Model Development". <https://samwell-prod.s3.amazonaws.com/essay-resource/4949df46f6-open-uri20241101-3247007-qg46fe>.
- [5] Nicola Casagli et al., p. 3-4; Nicola Casagli, Maria Cristina Pedicchio. "The Starfish Mission: an Italian perspective". *Bulletin of Geophysics and Oceanography*, 2021, https://arts.units.it/bitstream/11368/2993529/1/210189ogs.vol_62_suppl.n3_in_press.pdf#page=24.
- [6] Igor I. Mokhov et al; Igor I. Mokhov, Dmitry A. Smirnov. "Contributions of greenhouse gases and solar activity to global climate change from CMIP6 models simulations". <https://samwell-prod.s3.amazonaws.com/essay-resource/8b64ff4516-open-uri20241101-3247007-slk8nk>.
- [7] Thomas Frederikse et al., p. 393-394 (Intergovernmental Panel on Climate Change (IPCC); Thomas Frederikse, Felix Landerer, Lambert Caron, Surendra Adhikari, David Parkes, Vincent W. Humphrey, Sönke Dangendorf, Peter Hogarth, Laure Zanna, Lijing Cheng, Yun-Hao Wu. "The causes of sea-level rise since 1900". *Nature*, 2020, <https://samwell-prod.s3.amazonaws.com/essay-resource/d67160e3ee-open-uri20241101-3247007-jsmtpi>.
- [8] Jun-Young Park et al; Jun-Young Park, Fabian Schloesser, Axel Timmermann, Dipayan Choudhury, June-Yi Lee, Arjun Babu Nellikkattil. "Future sea-level projections with a coupled atmosphere-ocean-ice-sheet model". *Nature Communications*, 2023, <https://samwell-prod.s3.amazonaws.com/essay-resource/e1460eafb9-open-uri20241101-3247007-bcc3gh>.
- [9] Intergovernmental Panel on Climate Change (IPCC); Intergovernmental Panel on Climate Change (IPCC). "The Ocean and Cryosphere in a Changing Climate". 2022-04-30, http://books.google.com/books?id=g0rvzgEACAAJ&dq=coupling+effect+biosphere+atmosphere+sea+level+rise+global+climate+change+influence+climate+change+sea+level+dynamics&hl=&source=gbs_api.

- [10] Igor I. Mokhov, Dmitry A. Smirnov. "Contributions of greenhouse gases and solar activity to global climate change from CMIP6 models simulations". <https://samwell-prod.s3.amazonaws.com/essay-resource/8b64ff4516-open-uri20241101-3247007-slk8nk>
- [11] Libin Ma et al., p. 4075-4093; Libin Ma, Bin Wang, Jian Cao. "Impacts of atmosphere–sea ice–ocean interaction on Southern Ocean deep convection in a climate system model". *Climate Dynamics*, 2020, <https://samwell-prod.s3.amazonaws.com/essay-resource/874fc622ab-open-uri20241101-3247007-ls8h1a>
- [12] T. M. L. Wigley et al.; T. M. L. Wigley, D. S. Schimel. "The Carbon Cycle". 2005-08-22, http://books.google.com/books?id=Nu-qzgEACAAJ&dq=Impact+of+carbon+cycle+on+sea+level+rise+due+to+coupling+effect+of+biosphere+and+atmosphere+in+global+climate+change&hl=&source=gbs_api