

The Intrinsic Connection Between Particle Physics and Cosmic Structure

Junlin Xiao

*Yali High School, Changsha, China
582905606@qq.com*

Abstract. This paper explores the intrinsic connection between subatomic particles and the large-scale structure of the universe through a comprehensive literature review of recent studies in particle physics and cosmology. The fundamental properties of particles and their interactions help us understand how the universe evolved from the Big Bang to the present day. This paper examines three main areas: how particles gave rise to stars, how the large-scale structure of the universe reflects particle physics, and what future studies might reveal. Through systematic analysis of existing research, this paper finds that particle physics operates through four key mechanisms in shaping cosmic structure: Big Bang nucleosynthesis produced the first light elements; stellar fusion and supernova explosions forged heavier elements; dark matter particles governed the formation of galactic structures; and dark energy drives the accelerating expansion of the cosmos. These findings demonstrate that understanding cosmic structure requires a deep grasp of particle physics, from the smallest quantum scales to the largest astronomical distances.

Keywords: Particle Physics, Cosmic Structure, Dark Matter, Big Bang Nucleosynthesis, Cosmic Microwave Background

1. Introduction

The universe we inhabit is vast in both scale and age. At the same time, it is made of very small things called particles. These two scales - the very small and the very large - seem different at first glance, but they are actually closely linked.

The main idea is simple: to understand how the universe formed and grew, we must first understand particles. From the first moments after the Big Bang to the stars we see today, particle physics plays a key role. The way particles interact, combine, and transform has left its mark all across the cosmos.

This paper follows a clear path. First, we look at how particles in the early universe became the stars and planets we see today. Then we study how the large-scale structure of the universe bears the imprint of particle physics.

2. From tiny particles to big stars

2.1. Particle physics in the early universe

The early universe was extremely hot and dense. Imagine squeezing the entire Earth into a sugar cube - that gives you some idea of just how hot and dense it was. In the first few minutes after the Big Bang, the universe resembled a vast laboratory in which particles moved at extremely high speeds. This period is known as Big Bang nucleosynthesis (BBN), and it represents the first observable test we have of how the early universe functioned [1].

During BBN, protons and neutrons joined together to form light atoms such as hydrogen, helium, and small amounts of lithium. This process involves all four fundamental forces: gravity, the electromagnetic force, the strong force, and the weak force [1]. No other observable process we have access to today simultaneously tests all four forces at once, which is remarkable. The measured abundances of these light elements agree well with calculations from particle physics [2].

The early universe was also densely packed with photons that scattered off free electrons. Only when the universe had cooled enough could electrons combine with protons to form neutral hydrogen. This event is called recombination. After this point, photons could travel freely. These photons are what we now detect as the cosmic microwave background (MB) [3].

2.2. How stars form and evolve

After the early era of nucleosynthesis, the universe continued to expand and cool. Small fluctuations in density gradually grew into large structures. Gas clouds formed, and stars were born within them. The way stars live and die also depends on particle physics. I think of stars as cosmic factories that never stop working.

Inside stars, nuclear fusion takes place. This is the process by which light atoms join to form heavier ones, releasing energy. Hydrogen is converted into helium, and then helium into carbon and oxygen. These processes require the strong force to hold atomic nuclei together [1]. The weak force also plays a part when protons turn into neutrons, or vice versa. It is almost amusing that forces we cannot directly observe are effectively running the whole show.

Stars act as factories for heavy elements. They take the light atoms produced during the Big Bang and forge them into the many heavier elements we observe in the universe today [4]. Without particle physics, we could explain neither how stars shine nor how they forge new elements over billions of years.

2.3. Supernova explosions and heavy elements

Not all elements can be produced inside ordinary stars. Elements heavier than iron require a different process. This is where supernova explosions become important. When massive stars die, they explode and release enormous amounts of energy. This energy drives what is known as the r-process, which produces heavy elements such as gold and uranium [5].

Supernovae are also critical tools for measuring the universe. Type Ia supernovae always reach approximately the same peak brightness. By comparing how bright they appear to how bright they should be, we can determine how far away they are [6]. This method has helped us discover that the universe is expanding at an accelerating rate.

The nuclear physics occurring inside supernovae is extraordinarily complex, involving many particles and reactions occurring at extreme speeds [7]. Studying these events helps us test our

models of particle physics under the most intense conditions imaginable.

3. Large-scale structure and particle physics

3.1. Marks of particle physics in the CMB

The cosmic microwave background is light left over from approximately 380,000 years after the Big Bang. It is nearly uniform in all directions, but small temperature variations carry a vast amount of information about the early universe and particle physics [3, 8].

The CMB reveals a pattern of hot and cold spots that matches what we expect from inflation theory. Inflation theory proposes that the universe expanded at an extraordinary rate in its earliest moments, stretching tiny quantum fluctuations into the seeds of large-scale structures [9].

The CMB also helps us learn about neutrinos. Neutrinos are extremely light particles that barely interact with other matter. Even so, they affect how the universe expands. From CMB data, we can set limits on the total mass of all neutrino types [9]. Neutrinos are like ghosts - they pass through everything, and we barely know they are there.

The polarization of the CMB provides us with even more data. Light can be polarized when it scatters off electrons. By studying this polarization, scientists hope to find signs of gravitational waves from the early universe [10]. Such a finding would strongly support inflation theory.

3.2. Dark matter particles and structure formation

When we examine how galaxies move and how light bends around them, we notice something strange: there is more mass present than we can see. This unseen mass is called dark matter. It does not emit light, but it exerts a gravitational force. Dark matter is like an invisible friend that actually does all the heavy lifting.

What is dark matter made of? This is one of the most significant open questions in particle physics today. The standard model of particle physics does not include dark matter. We need new physics to explain it [11].

One leading idea is that dark matter consists of weakly interacting massive particles (WIMPs) - heavy particles that only respond to the weak force and gravity. Another idea involves axions, which are very light particles. Both ideas emerge from theories that attempt to go beyond the standard model [11].

Dark matter was crucial in shaping the large-scale structure of the universe. After the Big Bang, dark matter began to clump together under gravity. Ordinary matter then fell into these clumps, forming galaxies and clusters of galaxies [11]. Without dark matter, the universe would look very different today.

3.3. Dark energy

In the late 1990s, scientists made a surprising discovery: the expansion of the universe is speeding up, not slowing down. This means there is some form of energy pushing space to expand faster and faster. We call this dark energy. It makes up approximately 70% of everything in the universe, and we have almost no idea what it actually is. That is either humbling or embarrassing, depending on how you look at it.

Some scientists believe dark energy is a property of space itself. Others propose that it is a new kind of field or particle [6]. The connection between dark energy and particle physics remains

unclear. Solving this puzzle will likely require new physics beyond what we currently know. Some models link dark energy to particles in the early universe [12].

4. The intrinsic connection between particle physics and cosmic structure

The preceding sections have examined specific phenomena where particle physics shapes cosmic structure, but these individual mechanisms point to a deeper, unified relationship. At its core, the connection between particle physics and cosmic structure rests on the fact that the same fundamental laws govern behavior across all scales, from subatomic interactions to galactic clustering [12]. The four fundamental forces, though operating at vastly different strengths and ranges, collectively determine how the universe evolved from a hot, dense initial state into the complex structure we observe today [1, 2].

Gravity, despite being the weakest force at particle scales, becomes dominant at cosmic distances because it is universally attractive and accumulates with mass [2]. The electromagnetic force, while stronger, largely cancels out at large scales due to charge neutrality, yet it remains crucial for photon propagation and the thermal history recorded in the cosmic microwave background [3, 8]. The strong nuclear force binds quarks into protons and neutrons and holds atomic nuclei together, enabling both primordial nucleosynthesis and stellar fusion [1, 4]. The weak force mediates radioactive decay and neutrino interactions, driving the conversion between protons and neutrons that underlies elemental synthesis in stars and supernovae [5]. This complementary division of roles among the four forces creates a coherent physical framework where microscopic particle properties directly translate into macroscopic cosmic features [12].

Furthermore, the standard model of particle physics and the standard cosmological model (Λ CDM) converge on a shared mathematical foundation. Both rely on quantum field theory to describe interactions, and both assume that physical laws remain invariant across space and time [9, 11]. The cosmic microwave background, dark matter halos, and large-scale filaments all encode information about particle properties—neutrino masses, dark matter cross-sections, and potential new physics beyond the standard model [8, 13]. Thus, cosmic structure serves as a natural laboratory for testing particle physics, while particle physics provides the essential toolkit for interpreting astronomical observations [12]. This bidirectional relationship suggests that a complete understanding of either domain ultimately requires mastering both.

5. Conclusion

This paper has shown how particle physics and cosmic structure are deeply connected. From the first minutes after the Big Bang to the large-scale structure we observe today, particle physics has played a fundamental role. Big Bang nucleosynthesis produced the first light elements. Stars and supernovae forged the heavier ones. Dark matter shaped the way galaxies formed. Dark energy now drives the accelerating expansion of the cosmos.

However, this paper has several limitations that suggest room for improvement. First, the analysis relies primarily on qualitative literature review rather than quantitative data analysis or computational modeling; future revisions could incorporate numerical simulations of structure formation to strengthen the arguments. Second, the discussion of dark matter candidates remains at the theoretical level without a detailed examination of experimental detection data from projects such as LUX-ZEPLIN or XENONnT. Third, the connection between dark energy and particle physics remains speculative, as the paper does not engage with quantum field theory calculations of vacuum energy or recent observational constraints from the Dark Energy Survey.

Looking ahead, future research may concentrate on several promising directions. Next-generation particle colliders, such as the Future Circular Collider, may recreate conditions approaching those of the early universe, providing empirical tests for baryogenesis and dark matter production mechanisms. The James Webb Space Telescope continues to probe the chemical composition of the first generation of stars, offering observational constraints on primordial nucleosynthesis models. Gravitational wave observatories, including LIGO and the planned Einstein Telescope, may detect signals from cosmic phase transitions, opening a new window into high-energy particle physics. Additionally, upcoming CMB polarization experiments, such as CMB-S4, could reveal evidence of primordial gravitational waves, directly linking inflationary particle physics to observable cosmic structure. These developments suggest that the boundary between particle physics and cosmology will continue to dissolve, offering ever-deeper insight into the universe's origin and evolution.

References

- [1] Bertulani, C. A., & Kajino, T. (2016). Frontiers in nuclear astrophysics. *Progress in Particle and Nuclear Physics*, 89, 56-100.
- [2] Cooke, R. (2024). Big Bang Nucleosynthesis. arXiv: 2409.06015.
- [3] Smoot, G. F. (2023). Cosmic Microwave Background. arXiv: 1005.0555.
- [4] Iwamoto, N. (2002). Cosmological nucleosynthesis in the Big-Bang and supernovae. arXiv: astro-ph/0203197.
- [5] Cowan, J. J., et al. (2021). Origin of the heaviest elements: The rapid neutron-capture process. *Reviews of Modern Physics*, 93(1), 015002.
- [6] Durham, I. T. (2016). How supernovae became the basis of observational cosmology. arXiv: 1608.04192.
- [7] Horowitz, C. J., & Li, G. (1999). Nucleosynthesis in Supernovae. arXiv: astro-ph/9904171.
- [8] Carlstrom, J. E., Crawford, T. M., & Knox, L. (2015). Particle physics and the cosmic microwave background. *Physics Today*.
- [9] Kamionkowski, M., & Kosowsky, A. (1999). The Cosmic Microwave Background and Particle Physics. arXiv: astro-ph/9904108.
- [10] Chapter 0: Polarization of the Cosmic Microwave Background. (2024). arXiv: 2412.04099.
- [11] Kamionkowski, M. (1998). Possible relics from new physics in the early universe. arXiv: astro-ph/9809214.
- [12] Nath, P. (2024). Particle physics and cosmology intertwined. arXiv: 2402.04170.
- [13] Avva, J., et al. (2019). Particle physics with the cosmic microwave background with SPT-3G. arXiv: 1911.08047.